

Instruksjoner for taxameter.

Hvordan koble til eget nettverk (Wifi)

24.08.22



Som midlertidig løsning til kommunikasjonsproblemer kan løsningen være å koble seg til eget internett via WiFi.





LEC © 10		
14	Plukkliste Forhåndsliste Oversikt	
	600 ⓐ 0 0 1 1 1 ⓐ 0 - 7 0 652 ⓐ 0 0 0 0 0 ⓐ 0 - 1 0 653 ⓐ 0 0 0 1 1 ⓐ 0 - 1 0 654 ⓑ 0 0 0 0 ⓐ 1 - 2 0 655 ⓑ 0 0 0 0 ⓐ 1 - 0 0 656 ⓑ 0 0 0 0 ⓑ 1 - 0 0 657 ⓑ 0 0 0 0 ⓑ 1 - 0 0 657 ⓑ 0 0 0 0 ⓑ 0 - 5 0 ⓑ 0 0 0 0 ⓑ 0 - 5 0 ⓑ 0 0 0 0 ⓑ 0 - 5 0 ⓑ 0 0 0 0 ⓑ 0 - 5 0 ⓑ 0 0 0 0 ⓑ 0 - 5 0 ⓑ 0 0 0 0 ⓑ 0 - 5 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0 ⓑ 0 0	2. Trykk på pil ^ nederst hjørne høyre.
INA		
⊕⊿ : 1-	4:22 ↓ LEDIG 4:22 ↓ Plukkliste Forhåndsliste Oversikt	
	600 ⓐ 0 0 1 1 ⓐ 0 - 7 0 ⓑ 0 0 0 0 ⓑ 0 - 1 0 ∧	
	653 ⓐ 0 0 0 1 ⓐ 0 - 1 0 654 ⓐ 0 0 0 0 ⓐ 1 - 2 0 655 ⓐ 0 0 0 0 ⓐ 1 - 1 0	3. Trykk på Tannhjul
E	656 🖨 0 0 1 0 🛱 1 - 0 0 657 🖨 0 0 0 0 🛱 0 - 5 0	
(MENY DRIFT ITF APP NAV SW UP	







1202-56	
70mai.doz.b8c0	
😴 polTelenorlur22	
Arctic Spas	6. Pase at Wifi
	er skrudd pa.
	Einn from
	CIIII II dill ditt wifi fro
	lista.
← Wi-FI -	
· Pá	
T 1202-5G	
CL202	
70mail.d02.b8e0 Avanseric alternative	
w. pol/Telenorfur22	7. Skriv inn ditt
Arctic Spas	wifi passord.
1 2 3 4 5 6 7 8 9 0 [∞]	
@ # \$ % & - + () 🥥	
~l< \ = * " ' : ; ! ? ~l<	



